

CNN Publications- by Year

1998

Abstracts

- 1) Corcoran JD, Whyte R, Thiessen P, Lee SK. Neonatal Acute Physiology Parameters Index - extended score (NAPPI_ES) - a predictor for neonatal morbidity. *Pediatr Res* 1998;43(4):210A (MRC grants #1520; #CAAA-40503) (MRC grants #1520; #CAAA-40503). *
- 2) Corcoran JD, Regan S, Sale J, Lee SK. Comparison of parental and health provider perceptions of communications and treatment decision making in the neonatal intensive care unit. *Pediatr Res* 1998;43(4):29A (MRC grants #1520; #CAAA-40503). *
- 3) Lee SK, Corcoran JD, Whyte R, Thiessen P. Neonatal Acute Physiology Parameters Index (NAPPI) - an efficient illness severity score for neonates. *Pediatr Res* 1998;43(4):220A (MRC grants #1520; #CAAA-40503). *

1999

Abstracts

- 1) Chan K, Lee SK, Ohlsson A, Synnes A, Lee DSC, The Canadian Neonatal Network. Outcomes of Infants <25 weeks Gestation in a Large Canadian Cohort. *Pediatr Res* 1999;45(4):240A (MRC grants #1520; #CAAA-40503). *
- 2) Chien LY, Lee SK, Thiessen P, Whyte R, The Canadian Neonatal Network. Validation of the SNAP and SNAP-II on Morbidity of Infants Less than 33 Weeks Gestational Age. *Pediatr Res* 1999;45(4):240A (MRC grants #1520; #CAAA-40503). *
- 3) Jones HP, Lee SK, Peliowski A, Baboolal R, Synnes AR, Ohlsson A, The Canadian Neonatal Network. Actuarial Survival in a Large Canadian Cohort of Preterm and Very Low Birthweight Infants: No Gender Effects Beyond 24 Weeks Gestation. *Pediatr Res* 1999;45(4):246A (MRC grants #1520; #CAAA-40503). *
- 4) Lee SK, McMillan DD, Boulton J, Walker R, Brabyn D, Schmidt BK, Chien LY, The Canadian Neonatal Network. Adequacy and Efficiency of Nurse Staffing and Relationship to Patient Outcomes and Illness Severity at Four Canadian NICUs. *Pediatr Res* 1999;45(4):247A (MRC grants #1520; #CAAA-40503). *
- 5) Lee SK, Ohlsson A, Synnes A, Peliowski A, K. Sankaran, Baboolal R, Chien LY, The Canadian Neonatal Network. Mortality Variations and Illness Severity (SNAP-II) in Canadian NICUs. *Pediatr Res* 1999;45(4):248A (MRC grants #1520; #CAAA-40503). *
- 6) Lee SK, Chan K, Ohlsson A, Synnes A, Peliowski A, K. Sandaran, The Canadian Neonatal Network. Variations in Treatment Decisions and Outcomes of Infants < 25 weeks gestation. *Pediatr Res* 1999;45(4):247A (MRC grants #1520; #CAAA-40503). *
- 7) Lee SK, Chien LY, Whyte R, Thiessen P, The Canadian Neonatal Network. High Therapeutic Intensity in the NICU is associated with Increased Neonatal Mortality Independently of Illness Severity and Other Risks. *Pediatr Res* 1999;45(4):248A (MRC grants #1520; #CAAA-40503). *
- 8) Lee SK, Normand C, McMillan DD, Lee DSC, Ohlsson A, The Canadian Neonatal Network. Cost Effectiveness of Screening for Retinopathy of Prematurity (ROP): Evidence from Canada. *Pediatr Res* 1999;45(4):248A (MRC grants #1520; #CAAA-40503).*
- 9) McMillan DD, Klassen AF, Seshia MK, Matthew JD, Synnes AR, Lee SK, The Canadian Neonatal Network. Benchmarks for nosocomial infection rates in neonatal intensive care units. *Pediatr Res* 1999;45(4):271A (MRC grants #1520; #CAAA-40503).
- 10) McMillan DD, Klassen AF, Seshia MK, Newman CJ, Boulton JE, Sankaran K, Lee SK, The Canadian Neonatal Network. Do antibiotics on admission to the NICU affect later nosocomial infection? *Pediatr Res* 1999;45(4):271A (MRC grants #1520; #CAAA-40503).

* presented

- 11) McMillan DD, Vincer MJ, Ohlsson A, Lee DSC, Chien LY, Lee SK, The Canadian Neonatal Network. Retinopathy of prematurity in Canada. *Pediatr Res* 1999;45(4):250A (MRC grants #1520; #CAAA-40503).
- 12) McMillan DD, Pendray MR, Brabyn DJ, Andrews WL, Chan HWP, Lee SK, The Canadian Neonatal Network. Variations in Discharge Time and Support Among Neonatal Intensive Care Units (NICUs). *Pediatr Res* 1999;45(4):250A (MRC grants #1520; #CAAA-40503). *
- 13) Ohlsson A, McMillan DD, Schmidt BK, Walker R, Chan HWP, Lee SK. Variations in use of narcotics, benzodiazepins and pancuronium in newborn babies with assisted ventilation. *Pediatr Res* 1999;45(4):313A (MRC grants #1520; #CAAA-40503).
- 14) Synnes AR, Peliowski A, Baboolal R, Chien LY, Lee SK, The Canadian Neonatal Network. The Incidence of Diagnosed Intraventricular Hemorrhage in Canadian Neonatal Intensive Care Units. *Pediatr Res* 1999;45(4):256A (MRC grants #1520; #CAAA-40503). *
- 15) Walker CR, Frize M, Tong Y and the Canadian Neonatal Network. Data analysis using artificial neural networks and computer-aided decision-making in the Neonatal Intensive Care Unit. *Pediatr Res* 1999; 45: 231A Abstract*. Also published in *Paediatr Child Hyalth* 1999; 4:54B *
- 16) Whyte R, Chien LY, Roth D, Thiessen P, Lee SK, The Canadian Neonatal Network. Comparison of Neonatal Transport Outcomes between Regional Care Centres in Canada. *Pediatr Res* 1999;45(4):233A (MRC grants #1520; #CAAA-40503). *

Manuscripts

- 1) Richardson D, Tarnow-Mordi WO, Lee SK. Risk adjustment for quality improvement. *Pediatrics*. 1999 Jan;103(1 Suppl E):255-65. Review
- 2) Tong Y, Frize M, Walker R and the Canadian Neonatal Network. Estimating ventilation using artificial neural networks in intensive care units. *Proc IEEE EMBS-BMES (Engineering in Medicine and Biology Society-Biomedical Engineering Society) 1999. Conference Paper**. (Student Competition Regional Finalist, Award of Merit.)

Reports

- 1) McMillan DD, Chan HWP, Lee SK. Canadian NEONATAL Network Report 1996-1997, Volume 1. Canadian NEONATAL Network 1999, Vancouver, BC
- 2) Lisonkova S, Lee SK and the Canadian Neonatal Network. Canadian NEONATAL Network Report 1998-1999, Volume 1, Vancouver, BC

2000

Manuscripts

- 1) Lee SK, McMillan DD, Ohlsson A, Pendray M, Synnes A, Whyte R, Chien LY, Sale J and The Canadian Neonatal Network. Variations in Practice and Outcomes in the Canadian Neonatal Network: 1996-1997. *Pediatrics* 2000;106:1070-1079

Abstracts

- 1) Chan KJ, Lee D, Peliowski A, Synnes A, Lee SK. Sex Differences and its Implications on Morbidity and Mortality in Infants Admitted to the Canadian NICUs in a Large Population - Based Cohort. *Pediatr Res* 2000;47(4):305A
- 2) Chien LY, Whyte R, Thiessen, P, Lee SK. SNAP-II Predicts Resource Use in the NICU. *Pediatr Res* 2000;47(4):305A
- 3) Chien LY, Whyte R, Thiessen P, Lee SK. Inborn Status Is Associated with Improved Neonatal Outcomes Among Infants Less Than 33 Weeks Gestational Age. *Pediatr Res* 2000;47(4):305A

* presented

- 4) Grunau RVE, Oberlander TF, Holsti L, Rogers M, Whitfield MF, Lee SK. Is Biobehavioral Reactivity to Pain at 32 Weeks Post Conceptional Age a Marker of Subsequent Neurodevelopment in Very Low Birthweight Infants. *Pediatr Res* 2000;47(4):311A
- 5) Grunau R, Oberlander T, Whitfield MF, Fitzgerald C, Lee SK. Stressful Early NICU Experience Dampens Subsequent Pain Reactivity in Preterm Infants at 32 Weeks Post-Conceptional Age. *Pediatr Res* 2000;47(4):400A
- 6) Harrison J, Mangat RK, Singh AJ, Seshia M, Ohlsson A, Lee SK. Preterm Infants Requiring <40% FiO₂ Do Not Benefit from Surfactant Therapy. *Pediatr Res* 2000;47(4):402A
- 7) Hoube J, Lee SK, Ohlsson A, Lee D, Baboolal R, Brabyn D. Impact of Small for Gestational Age (SGA) on Morbidity in the NICU. *Pediatr Res* 2000;47(4):313A
- 8) Jones HP, Synnes A, Pendray MR, Matthew D, Stewart SD, Lee SK. Outcomes and Resource Use of Infants with Congenital Anomalies Admitted to Canadian Neonatal Intensive Care Units (NICU). *Pediatr Res* 2000;47(4):314A
- 9) Lee SK, Thiessen P, Whyte R, Chien LY. High Therapeutic Intensity Is Associated with Higher Mortality and Morbidity in the NICU Independently of Illness Severity and Other Risks. *Pediatr Res* 2000;47(4):316A
- 10) Lee DSC, Seshia M, Boulton J, Chien LY, Synnes A, Lee SK. Variation in the Incidence of Necrotizing Enterocolitis (NEC) in Very Low Birth Weight Infants Among Canadian Neonatal Intensive Care Units (NICUs). *Pediatr Res* 2000;47(4):410A
- 11) McMillan DD, Chien LY, Pendray MR, Matthew D, Andrews W, Lee SK. Differing Factors Associated with Nosocomial Infection (NI) in Babies <1500 Grams and > 1500 gram Birthweight. *Pediatr Res* 2000;47(4):344A
- 12) McMillan DD, Chien LY, Ohlsson A, Brabyn DG, Walker RC, Lee SK. Effects of Narcotics (N) on Duration of Assisted Ventilation (AV) and Length of Hospital Stay (LOS) in Newborn Babies Receiving Assisted Ventilation. *Pediatr Res* 2000;47(4):416A
- 13) McMillan DD, Chien LY, Ohlsson A, Schmidt BK, Seshia MMK, Lee SK. Factors Associated with Administration of Narcotics (N) to Babies Receiving Assisted Ventilation (AV). *Pediatr Res* 2000;47(4):417A
- 14) McMillan DD, Chien LY, Ohlsson A, Pendray MR, Schmidt BK, Lee SK. Outcomes with Use of Narcotics (N) in Newborn Requiring Assisted Ventilation (AV). *Pediatr Res* 2000;47(4):368A
- 15) Ohlsson A, Synnes AR, Seshia MMK, Newman CJ, Schmidt B, Chien LY, Lee SK. Risk Factors for Bronchopulmonary Dysplasia (BPD) Among Infants Admitted to 17 Neonatal Intensive Care Units (NICUs) in Canada. *Pediatr Res* 2000;47(4):371A
- 16) Ohlsson A, Synnes AR, Seshia MMK, Newman CJ, Schmidt B, Chien LY, Lee SK. Variations in the Site Specific Rates of Bronchopulmonary Dysplasia (BPD) among Infants Admitted to 17 Neonatal Intensive Care Units (NICUs) in Canada - Implications for Bench Marking. *Pediatr Res* 2000;47(4):371A
- 17) Pendray MR, Jones HP, Boulton JE, Lee SK. Resource Utilization by Infants with Congenital Anomalies in Canadian NICUs. *Pediatr Res* 2000;47(4):320A
- 18) Sankaran K, Seshia M, Walker R, Ohlsson A, Lee SK. NICU Mortality in a Large Population Based Canadian Cohort. *Pediatr Res* 2000;47(4):315A
- 19) Seshia M, Walker R, Brabyn D, Pendray M, Lee SK. The Impact of Prematurity on Resource Utilisation in Canadian NICUs. *Pediatr Res* 2000;47(4):323A
- 20) Synnes AR, Berry M, Jones H, Stewart S, Newman C, Lee SK. The Epidemiology of Infants with Congenital Anomalies Admitted to Neonatal Intensive Care Units (NICUs). *Pediatr Res* 2000;47(4):326A
- 21) Synnes A, Koravangattu S, Berry M, Jones H, Chien LY, Lee SK. Congenital Anomalies Affect Neonatal Intensive Care Unit (NICU) Mortality Rates Independently of Illness Severity and Population Risk Factors. *Pediatr Res* 2000;47(4):326A
- 22) Synnes AR, Peliowski A, Baboolal R, Chien LY, Boulton J, Lee SK. Risk Factors for Intraventricular Hemorrhage (IVH) in Neonatal Intensive Care Units (NICU) Patients. *Pediatr Res* 2000;47(4):326A
- 23) Synnes A, Peliowski A, Baboolal R, Boulton J, Chien LY, Lee SK. Variations in Intraventricular Hemorrhage (IVH) Incidence Rates in Neonatal Intensive Care Unit (NICU) Patients. *Pediatr Res* 2000;47(4):326A

* presented

- 24) Walker CR, Frize M, Tong Y and the Canadian Neonatal Network. Use of an artificial neural network to analyse duration of ventilation in neonatal intensive care unit patients. *Pediatr Res* 2000; 47:438A. *

2001

Manuscripts

- 1) Chan KJ, Ohlsson A, Synnes A, Lee DSC, Chien LY, Lee SK and The Canadian Neonatal Network. Survival, morbidity and resource use of <25 weeks gestation infants. *Am J Obstet Gynecol* 2001;185:220-226
- 2) Chien LY, Whyte R, Thiessen P, Matthew D, Aziz K, Lee SK and The Canadian Neonatal Network. Improved outcome of preterm infants when delivered in tertiary care centers. *Obstet & Gynecol* 2001;98:247-252
- 3) Ennett CM, Frize M, Walker CR and the Canadian Neonatal Network. Influence of missing values on artificial neural network performance. *Medinfo* 2001; 10(Pt 1):449-453.
- 4) Grunau RE, Oberlander TF, Whitfield MF, Fitzgerald C, Lee SK. Demographic and therapeutic determinants of pain reactivity in very low birth weight neonates at 32 weeks' postconceptional age. *Pediatrics* 2001;107:105-112
- 5) Lee SK, Normand C, McMillan DD, Ohlsson A, Vincer M, Lyons C for The Canadian Neonatal Network. Evidence for changing guidelines for routine screening for retinopathy of prematurity. *Arch Pediatr Adolesc Med* 2001;155:387-395
- 6) Lee SK, Zupancic JAF, Robin Whyte, Barbara Schmidt, Margaret Pendray, David Shorten, Shawn Stewart and The Canadian Neonatal Network. Transport risk index of physiologic stability (TRIPS) - a practical system for assessing transport outcomes. *J Pediatr* 2001;139:220-226
- 7) Richardson DK, Corcoran JD, Escobar GJ, Lee SK. SNAP-II and SNAPPEII: Simplified newborn illness severity scores. *J Pediatr* 2001;138:92-100
- 8) Synnes A, Chien LY, Peliowski A, Baboolal R, Lee SK and The Canadian Neonatal Network. Variations in Intraventricular Hemorrhage Incidence Rates among Canadian Neonatal Intensive Care Units. *J Pediatr* 2001;138:525-531
- 9) Walker CR, Ennett CM, Frize M and the Canadian Neonatal Network. Use of an artificial neural network to estimate probability of mortality and duration of ventilation in neonatal intensive care unit patients. *Medinfo* 2001; 10(Pt 1):584. Conference Paper *

Abstracts

- 1) Aziz K, Andrews W, McNab Y, Chien LY, McMillan D, Lee SK. Variations in central venous lines (CVL)-related sepsis (CVL-RS) between 17 neonatal intensive care units (NICU) in Canada. *Pediatr Res* 2001;49:233A. *
- 2) Chan K, Lee SK, von Dadelszen P, Magee L, Rurak D. Blood pressure in small for gestational age babies. *Pediatr Res* 2001;49:376A. *
- 3) Chan K, Ohlsson A, Sankaran K, Matthew D, Newman C, Lee SK. Changing trends in survival and morbidity among extremely preterm infants. *Pediatr Res* 2001;49:304A. *
- 4) Chan K, Hou D, Singh A, Lee SK. Case-control study of nitric oxide therapy in preterm infants with respiratory failure. *Pediatr Res* 2001;49:395A.
- 5) Chien LY, McNab Y, Aziz K, Newman C, McMillan DD, Lee SK. Central venous catheter related nosocomial blood stream infections in the neonatal intensive care unit. *Pediatr Res* 2001;49:234A.*
- 6) Chien LY, Ohlsson A, Seshia M, Boulton J, Sankaran K, Lee SK. Variations in antenatal steroid treatment - a persistent problem 30 years later. *Pediatr Res* 2001;49:318A. *

* presented

- 7) Kalaher S, McNab Y, Pendray M, Brabyn D, Matthew D, Lee SK. Variations in referral patterns and outcomes within a regional neonatal-perinatal care system in British Columbia. *Pediatr Res* 2001;49:361A. *
- 8) Lee SK, Zupancic JAF, Hoube J, Lund G, Ratner I. Comparison of outcomes between Canadian and US NICUs. *Pediatr Res* 2001;49:338A. *
- 9) Lee SK, Zupancic JAF, Sale J, Pendray M, Whyte R, Brabyn D, Whyte H. Costs, effectiveness and choice of infant transport systems. *Pediatr Res* 2001;49:356A. *
- 10) Lee SK, Chien LY, Zupancic JAF, Thiessen P, Walker R, Whyte R. Physician workload affects treatment intensity in the NICU. *Pediatr Res* 2001;49:358A. *
- 11) Lee SK, Zupancic JAF, Pendray M, Thiessen P, Schmidt B, Whyte R, Stewart S. Transport Risk Index of Physiologic Stability (TRIPS) - a practical system for assessing transport outcomes. *Pediatr Res* 2001;49:311A *
- 12) Lee SK, Thiessen P, Whyte R, Chien LY. High Therapeutic Intensity Is Associated with Higher Mortality and Morbidity in the NICU Independently of Illness Severity and Other Risks. *IHEA* 2001
- 13) Newman C, McMillan D, Ohlsson A, Boulton J, Chien LY, Lee SK. Variations in treatment of ROP among Canadian NICUs - real or imagined? *Pediatr Res* 2001;49:363A. *
- 14) Peliowski A, McMillan, Newman C, Matthew D, Chien LY, Lee SK. Comparison of outcomes of ECMO eligible infants at ECMO and non-ECMO centers. *Pediatr Res* 2001;49:268A. *
- 15) Pendray M, Lee SK, Sale J, Zupancic JAF, Whyte R, Brabyn D, Whyte H. Comparison of outcomes of different infant transport systems and factors affecting transport outcomes. *Pediatr Res* 2001;49:312. *
- 16) Sankaran K, Lee SK, Ohlsson A, Lund G, Ratner I. Racial differences in NICU outcomes between Canada and the USA. *Pediatr Res* 2001;49:330A. *
- 17) Synnes A, Seshia M, Andrews W, Zupancic J, Stewart SD, Lee SK. Screening for intraventricular hemorrhage (IVH): practices in Canadian NICUs. *Pediatr Res* 2001;49:367A. *
- 18) Walker R, Lee DSC, McMillan D, Stewart S, Lee SK. Updating survival risks of neonates with different diagnosis in the NICU using actuarial survival methods. *Pediatr Res* 2001;49:329A. *
- 19) Walker CR, Frize M, Ennett CM and the Canadian Neonatal Network. Will artificial intelligence systems assist planning of resource allocation in the neonatal intensive care unit? *Paediatr Child Health* 2001; 6:28A. *
- 20) Walker CR, Ennett CM, Frize M and the Canadian Neonatal Network. Will artificial intelligence systems help counseling of parents in the neonatal intensive care unit? *Paediatr Child Health* 2001; 6:28A. *
- 21) Walker RC, Ennett C, Frize M and the Canadian Neonatal Network. Use of an artificial neural network to estimate probability of mortality in neonatal intensive care unit patients. *Pediatr Res* 2001; 49:310A. *
- 22) Whyte R, Lee SK, Chan H, Lee DSC, Newman C. Variation in institutional use of blood transfusion in VLBW infants between Canadian Centers. *Pediatr Res* 2001;49:322A. *
- 23) Zupancic J, Stewart S, Synnes A, DSC Lee, Lee SK. Decision analysis and cost-effectiveness analysis of alternate screening strategies for neonatal intraventricular hemorrhage. *Pediatr Res* 2001;49:365A. *

2002

Manuscripts

- 1) Chien LY, Whyte R, Thiessen P, Walker R, Brabyn D, Lee SK and The Canadian Neonatal Network. SNAP-II predicts severe intraventricular hemorrhage and chronic lung disease. *J Perinatol* 2002;22:26-30
- 2) Chien LY, Ohlsson A, Seshia M, Boulton J, Sankaran K, Lee SK and The Canadian Neonatal

* presented

- Network. Variation in antenatal corticosteroid treatment - a persistent problem 30 years later. *Obstetr & Gynecol* 2002;99:401-408
- 3) Chien LY, McNab Y, Aziz K, Andrews W, McMillan DD, Lee SK and The Canadian Neonatal Network. Variations in central venous catheter related infection risks among Canadian neonatal intensive care units. *Ped Infect Dis J* 2002;21:505-511
 - 4) Lee SK, Zupancic JAF, Sale J, Pendray M, Whyte R, Brabyn D, Walker R, Whyte H and The Canadian Neonatal Network. Cost-effectiveness and choice of infant transport systems. *Medical Care* 2002;40:705-716
 - 5) Sankaran K, Chien LY, Walker R, Seshia M, Ohlsson A, Lee SK and The Canadian Neonatal Network. Variations in mortality rates among Canadian neonatal intensive care units. *Can Health Care Management* 2002;102:92-94
 - 6) Sankaran K, Chien LY, Walker R, Seshia M, Ohlsson A, Lee SK and the Canadian Neonatal Network. Variations in mortality rates among Canadian neonatal intensive care units. *Can Med Assoc Journal* 2002;166:173-178
 - 7) Tong Y, Frize M, Walker R and the Canadian Neonatal Network. Extending successful predictions of ventilation needs using artificial neural networks from adult to neonatal ICU patients. *IEEE Trans Inf Technol Biomed* 2002; 6:188-191.
 - 8) von Dadelszen PV, Magee LA, Lee SK, Stewart SD, Simone C, Koren G, Walley KR, Russell JA. Activated protein C in normal human pregnancy and pregnancies complicated by severe pre-eclampsia: a therapeutic opportunity? *Crit Care Med* 2002;30:1883-1892

Abstracts

- 1) Barrington KJ, Lee SK, Stewart S and the Canadian Neonatal Network. Differing blood pressure thresholds in preterm infants, effects on frequency of diagnosis of hypotension and intraventricular hemorrhage. *Pediatr Res.* 2002 51:455A. *
- 2) Chan HWP, Klassen A, Lee SK, Barer M, Raina P and the Canadian Neonatal Network. Comparison of Parent/Caregiver Perceptions of the General Health of NICU Survivors with and without major congenital anomalies. *Pediatr Res* 2002 51:402A.
- 3) Harrison A, Lee SK, Synnes A, Stewart S. Unexplained variation in weight gain in extremely low birthweight infants among Canadian Neonatal Intensive Care Units. *Pediatr Res* 2002 51:406A.
- 4) Klassen A, Lee S, Barer M, Raina P, Chan H, Brabyn D, Matthew D. Infant Toddler Quality of Life Questionnaire (ITHQ): a new measure of health-related quality of life (HRQL) for children aged 1 to 5. *Pediatr Res* 2002 51:290A. *
- 5) Klassen AF, Lee SK, Raina P, Chan H, Brabyn D, Matthew D. Infant Toddler Quality of Life Questionnaire (ITHQ): a new measure of health-related quality of life for children aged 2 months to 5. *Pediatric Research.* 2002;51(4):290A.
- 6) Klassen A, Lee S, Barer M, Raina P, Chan H, Matthew D, Brabyn D. Health related quality of life (HRQL) of preschool children admitted to a NICU at birth. *Pediatr Res* 2002 51:290A. *
- 7) Klassen A, Lee S, Barer M, Raina P, Chan H, Brabyn D, Matthew D. Health related quality of life (HRQL) and caregiving burden in parents of NICU children: a follow-up study. *Pediatr Res* 2002 51:410A.
- 8) Klassen A, Lee S, Barer M, Raina P, Chan H, Pendray M, Thiessen P. Behavioral outcomes in a population-based sample of preschool children admitted at birth to a NICU. *Pediatr Res* 2002 51:410A.
- 9) Klassen A, Lee S, Barer M, Raina P, Chan H, Thiessen P, Pendray M. Health problems in preschool children admitted to a NICU at birth. *Pediatr Res* 2002 51:410A.
- 10) Klassen AF, Lee SK, Chan HD. Relationship between behavioural problems in children, caregiver burden and health-related quality of life: A NICU follow-up study. *Quality of Life Research.* 2002;11(7):684. *
- 11) Klassen AF, Lee SK, Raina P, Chan H, Matthew D, Brabyn D. Reliability and validity of the Infant Toddler Quality of Life Questionnaire. *Quality of Life Research* 2002; 11(7): 684. Poster presentation by A Klassen at the International Society for Quality of Life Research meeting, Orlando, USA, Nov 2002. *
- 12) Lee SK, McMillan DD, Boulton J, Andrews W, Stewart SD, Halliday H. Preterm infants who

- need pediatric subspecialty care have better outcomes if they are managed initially in NICUs with these services available in-house. *Pediatr Res* 2002 51:295A. *
- 13) Lee SK, Whyte R, Peliowski A, Newman C, Baboolal R, Stewart SD. Variation in bedside nurse utilization among Canadian NICUs. *Pediatr Res* 2002 51:411A.
 - 14) Lee SK, McMillan DD, Boulton J, Lee DS, Ting S, Liston R and the Canadian Neonatal Network. Benefit of preterm at tertiary care centers is related to gestational age. *Pediatr Res* 2002 51:375A.*
 - 15) Stewart SD, Synnes A, Lee SDC, Schmidt B, Aziz K, Lee SK. The GRASP and PRN nurse workload measures correlate well with illness severity (SNAP-II) and therapeutic intensity (NTISS) but MEDICUS does not. *Pediatr Res* 2002 51:374A. *
 - 16) Synnes A, Lee SK and the Canadian Neonatal Network. Learning from others: Variations in patients, practices and outcomes. *The Early Years*, February 2002.
 - 17) Walker RC, Ohlsson A, Sankaran K, Seshia M, Stewart SD, Lee SK. Infants born in hospitals where the delivery room is located distant from NICU have poorer outcomes. *Pediatr Res* 2002 51:147A. *
 - 18) Walker RC, Ennett C, Frize M and the Canadian Neonatal Network. Potential utility of an artificial neural network in evidence-based ethical decision-making in the neonatal intensive care unit. *Pediatr Res* 2002; 51:374A. *Paediatr Child Health* 2002; 7:57A. *
 - 19) Yang Q, McMillan DD, Aziz K, Baboolal, Stewart S, Lee SK. Variations in supplemental oxygen use among preterm infants discharged home from Canadian NICUs and implications for resource use. *Pediatr Res* 2002 51:382A. *

2003

Manuscripts

- 1) Fergusson D, Hebert PC, Lee SK, Walker CR, Barrington KJ, Joseph L, Blajchman MA, Shapiro S. Clinical outcomes following institution of universal leukoreduction of blood transfusions for premature infants. *JAMA*. 2003 Apr 16;289(15):1950-6.
- 2) Klassen AF, Lee SK, Raina P, Cha HWP, Matthew D, Brabyn D and the Canadian Neonatal Network. Health status and health related quality of life in a population-based sample of NICU graduates. *Pediatrics* 2004; 113: 594-600.
- 3) Klassen AF, Landgraf JM, Lee SK, Barer M, Raina P, Chan HWP, Matthew D, Brabyn F. Health related quality of life in children 3-5 years of age: preliminary findings about a new questionnaire. *Health and Quality of Life Outcomes* 2003, 1:81.
- 4) Lee SK, McMillan DD, Boulton J, Lee DSC, Ting S, Liston R. The benefit of preterm birth at tertiary care centers is related to gestational age. *Am J Obstet Gynecol*. 2003 Mar;188(3):617-22.
- 5) Lee SK, Lee DCS, Andrews, WL, Baboolal R, Penderay M, Stewart SD and the Canadian Neonatal Network. Higher mortality among infants admitted to the neonatal intensive care units at nights. *J Pediatr* 2003 143:1-6
- 6) Skarsgard ED, Blair GK, Lee SK Toward evidence-based best practices in neonatal surgical care-I: The Canadian NICU Network. *J Pediatr Surg*. 2003 May;38(5):672-7.

Abstracts

- 1) Klassen AF, Lee SK, Raina P, Herbert CWP, Brabyn D, Matthew D, The Canadian Neonatal Network. Health Status Problems in Preschoolers: Population-Based Follow-Up Study of NICU Graduates. *Pediatr Res* 2003 53:485A
- 2) Klassen AF, Lee SK, Raina P, Barer M, Chan HWP, Matthew D, Brabyn D, The Canadian Neonatal Network. Who Gives Permission To Access Health-Related Administrative Data:

* presented

- Characteristics Associated with Consent from a Study of NICU Graduates. *Pediatr Res* 2003 53:445A. *
- 3) Klassen AF, Chan HW, Lee SK. Parental psychological wellbeing in families of preschool children admitted to a NICU at birth. *Quality of Life Research* 2003; 12 (7): 728. Oral presentation by A Klassen at the International Society of Quality of Life Research, Prague, Czech Republic, 12-14 Nov 2003. *
 - 4) Klassen A, Lee S, Raina P, Chan H. Behavioral problems in preschool children admitted at birth to a neonatal intensive care unit. *Child & Youth Health* 2003. 3rd World Congress & Exposition. Vancouver, 1-14 May 2003. Poster-093.
 - 5) Lee SK, Lee DSC, Andrews WL, Baboolal R, Pendray M, Stewart S, The Canadian Neonatal Network. Higher Mortality Among Infants Admitted to Neonatal Intensive Care Units at Night. *Pediatr Res* 2003 53:442A. *
 - 6) MacNab YC, Lee SK, Chan H, the Canadian Neonatal Network. Regional Variation in Prevalence of Chronic Lung Disease Among Neonates Admitted to Canadian Neonatal Intensive Care Units. *Pediatr Res* 2003 53:371A.*
 - 7) MacNab YC, Lee SK, Chan H, Ohlsson A, Gustafson P, Dean C, Miller J, the Canadian Neonatal Network. A National Neonatal Health Geographical Information Facility for Small Area Mapping of NICU Outcome and Utilization: The Neonatal Health Services in Canada Project. *Pediatr Res* 2003 53:491A.
 - 8) MacNab YC, Lee SK, Ohlsson A, Qiu Z, Dean CB, Gustafson P, The Canadian Neonatal Network. Risks of Mortality Among Neonates Admitted to Canadian Neonatal Intensive Care Units: Beyond Reporting on Rates. *Pediatr Res* 2003 53:423A. *
 - 9) MacNab YC, Lee SK, Chan H, The Canadian Neonatal Network. Geographical Variation in Prevalence of Intraventricular Hemorrhage Among Neonates Admitted to Canadian Neonatal Intensive Care Unit Patients. *Pediatr Res* 2003 53:491A.
 - 10) Schmidt P, Lee SK, Clarke R, The Canadian Neonatal Network. The Effects of Antenatal Steroids on Infants Born at Less Than 35 Weeks Gestation: The Canadian Neonatal Network Experience. *Pediatr Res* 2003 53: 422A. *
 - 11) Synnes AR, MacNab YC, Qiu Z, Lee SK, Canadian Neonatal Network. Analysis of Intraventricular Hemorrhage Incidence Rates Using Hierarchical Modelling. *Pediatr Res*. 53:509A.
 - 12) Qiu Z, MacNab YC, Lee SK, Ohlsson A, the Canadian Neonatal Network. Variations in NICU Length of Stay Among Survivors in Neonatal Intensive Care Units, Canada, 1996-97. *Pediatr Res* 2003 53:454A. *
 - 13) Walker RC, Ennett CM, Frize M and the Canadian Neonatal Network. Use of artificial neural networks to identify the contribution of different physiologic variables to neonatal mortality in newborn infants admitted to neonatal intensive care units. *Pediatr Res* 2003; 53:444A.

2004

Manuscripts

- 1) Javid PJ, Jaksic T, Skarsgard ED, Lee SK and the Canadian Neonatal Network. Survival in congenital diaphragmatic hernia: the experience of the Canadian Neonatal Network. *J Pediatr Surg* 2004 May;39(5):657-60.
- 2) Synnes AR, Berry M, Jones H, Pendray M, Stewart S, Lee SK, Canadian Neonatal Network™. Infants with Congenital Anomalies Admitted to Neonatal Intensive Care Units. *Am J Perinatol*. 2004; 21(4):199-207.
- 3) MacNab Y, Qiu Z, Gustafson P, Dean CB, Ohlsson A, Lee SK. Hierarchical Bayes analysis of multilevel health services data: A Canadian Neonatal Mortality Study. *Health Services and Outcomes Research Methodology*. 5(1):5-26

* presented

- 4) Sankaran K, Puckett B, Lee DSC, Seshia M, Boulton J, Qiu ZG, Lee SK, Canadian Neonatal Network. Variations in incidence of necrotizing enterocolitis in Canadian neonatal intensive care units. *J Pediatr Gastro Nutr.* 2004;39(4):366-72.
- 5) Skarsgard ED, Salt D, Lee SK. Venovenous extracorporeal membrane oxygenation (ECMO) in neonatal respiratory failure: does routine cephalic jugular drainage improve outcome? *J Pediatr Surg.* 2004;39:672-6.

Abstracts

- 1) Chan H, Klassen A, Lee S. Health care utilization for children with congenital anomalies after their discharge from Neonatal Intensive Care Units. Pediatric Society Meeting San Francisco May 2004 *
- 2) Hoube J, Lisonkova S, Klassen A, Synnes A, Lee S. Predictors of healthcare utilization in children admitted at birth to an NICU. Pediatric Society Meeting, San Francisco May 2004 *
- 3) Hoube, J. Patterns of Health Care Utilization Among Children 4 Years After Discharge From Neonatal Intensive Care. Pediatric Society Meeting San Francisco May 2004.
- 4) Langley, J, Peliowski, A., Lee, D., Lee, S.K. and the Canadian Neonatal Network™ Risk Factors(RF) Associated With Site-Specific Nosocomial Infections (NI) in Premature Infants [It] 32 Weeks Gestational Age (GA) Admitted to Canadian Neonatal Intensive Care Units (NICU). Pediatric Society Meeting San Francisco May 2004 and the 42nd Annual Meeting of the Infectious Diseases Society of America, Boston, October 2004 *
- 5) Shah, P., Shah, V., Qiu, Z., Shoo K Lee and the Canadian Neonatal Network™. Outborn preterm infants: Outcome based on place of admission- perinatal centres vs free standing pediatric hospitals. Pediatric Society Meeting San Francisco May 2004.
- 6) Skarsgard, E., MacNab, Y., Qiu, Z., Little, R., Lee, SK and the Canadian Neonatal Network™ SNAP-II Predicts Mortality and Need for ECMO Among Infants With Congenital Diaphragmatic Hernia. Pediatric Society Meeting San Francisco May 2004 *
- 7) Synnes AR, Lisenkova S, Hoube J, Klassen A. Targeting follow-up needs of premature survivors. Pediatric Society Meeting, San Francisco May 2004 *

2005

Manuscripts

- 1) Aziz K, McMillan DD, Andrews W, Pendray M, Matthew D, Lee SK, Canadian Neonatal Network. Variations in rates of nosocomial infection among Canadian neonatal intensive care units may be practice-related. *BMC Pediatrics* 2005, 5:22. (MRC grants #1520; #CAAA-40503)
- 2) Dadelszen PV, Magee LA, Taylor EL, Muir JC, Stewart SD, Sherman P, Lee SK, Canadian Neonatal Network. Maternal hypertension and neonatal outcome among small for gestational age infants. *Obstetr & Gynecol* 2005;106:335-339
- 3) Fetus and Newborn Committee. Canadian Pediatric Society. Recommendations for neonatal surfactant therapy. *Pediatrics & Child Health* 2005;10:109-116
- 4) Hayter, MA., Anderson, L., Claydon, J., Magee, LA., Liston, RM., Lee, SK., von Dadelszen, P., and the Canadian Neonatal Network™. Variations in early and intermediate neonatal outcomes for inborn infants admitted to Canadian NICU and born of hypertensive pregnancies. *JOGC* 2005 27(1):25-32

* presented

- 5) Jones H, Cronin CMG, Ohlsson A, Peliowski A, Synnes A, Lee SK, Canadian Neonatal Network. Actuarial survival of a large Canadian cohort of preterm infants. *BMC Pediatrics* 2005;5:40
- 6) Klassen AF, Lee SK, Barer M, Raina P. Linking survey data with administrative health information: characteristics associated with consent from a neonatal intensive care unit follow-up study. *Can J Pub Health* 2005;96:151-4
- 7) Lau J, Magee F, Qiu ZG, Hoube J, von Dadelszen P, Lee SK. Maternal-fetal chorioamnionitis is associated with higher neonatal mortality, morbidity and resource use than maternal chorioamnionitis. *Am J Obstet Gynecol* 2005;193:708-713
- 8) Shah, P., Shah, V., Qiu, Z., Ohlsson, A., Lee, SK. Improved outcomes of outborn preterm infants if admitted to perinatal centers vs. free standing pediatric hospitals. *J. Pediatr* 2005; 146:626-31
- 9) Wen SW, Fung KF, Huang L, Demissie K, Joseph KS, Allen AC, Kramer MS for the Fetal and Infant Health Study Group of the Canadian Perinatal Surveillance System. Fetal and neonatal mortality among twin gestations in a Canadian population: the effect of intrapair birthweight discordance. *American Journal of Perinatology* 2005;22(5):279-286
- 10) Gilbert C, Fielder A, Gordillo L, Quinn G, Semiglia R, Visintin P, Zin A on behalf of the International NO-ROP Group. Characteristics of Infants with Severe Retinopathy of Prematurity in Countries With Low, Moderate and High Levels of Development: Implications for Screening Programs. *Pediatrics* 2005; 115:e518-e525
- 11) Skarsgard, E., MacNab, Y., Qiu, Z., Little, R., Lee, SK and the Canadian Neonatal Network™ SNAP-II Predicts Mortality and Need for ECMO Among Infants With Congenital Diaphragmatic Hernia. *J. Perinatol.* 25(5);315-319

Abstracts

- 1) Grimm N, Lee SK. How do organizational culture and quality improvement initiatives influence support for evidence-based practice? *AMIA 2005 Proceedings, Washington, DC*
- 2) Langley, J., Lee, SK., and the Canadian Neonatal Network™. Using blood, cerebrospinal fluid and urine culture results to Compare infection rates among NICU's may be inaccurate and underestimate the burden of illness. *APS/SPR 2005, Washington, DC*
- 3) Lee, SK., and the Canadian Neonatal Network™. Decreased BPD but increased ROP in Canadian NICU's. *APS/SPR 2005, Washington, DC*
- 4) Reime B, Lee SK, Canadian Neonatal Network. Patient characteristics and selected treatments of Black and White infants in 17 Canadian neonatal care units. *APHA 133 Annual Meeting, Nov 5-9, 2005, New Orleans, LA*
- 5) Reime B, Lee SK. Treatment differences among Asian and White infants in 17 Canadian neonatal care units. *APHA 133 Annual Meeting, Nov 5-9, 2005, New Orleans, LA*
- 6) Schiariti V., Lisonkova S., Hoube JS., Klassen A., Lee SK. Health and developmental outcomes in preschool children born at 28-32 weeks gestation. *Society for Pediatric Research, Washington DC, 2005*
- 7) Schiariti V., Lisonkova S., Hoube JS., Klassen A. Lee SK. Developmental outcomes in preschool children born at 28-32 weeks gestation in British Columbia. *Canadian Pediatric Society Meeting 2005*
- 8) Synnes, A., Lee, SK., and the Canadian Neonatal Network™. Reduced vancomycin use in Neonatal Intensive Care Using Clinical Algorithms. *APS/SPR 2005, Washington, DC*
- 9) Walsh, M., Lee, SK., Changes in Postnatal Steroid (PNS) Use in VLBW Neonates in 3 large Neonatal Networks. *APS.SPR 2005, Washington DC*

2006

* presented

Manuscripts

- 1) Sauve R, Lee SK. Neonatal follow-up programs and follow-up studies: historical context and current perspectives. *Pediatr & Child Health* 2006;111:267-270
- 2) Lee SK, Fetus and Newborn Committee. Statement on levels of neonatal care. *Pediatr & Child Health* 2006;111:303-311
- 3) Synnes A, MacNab Y, Qiu ZG, Ohlsson A, Gustafson P, Dean CB, Lee SK, Canadian Neonatal Network. Neonatal intensive care characteristics affect the incidence of severe intraventricular hemorrhage. *Med Care* 2006;44:75f4-759
- 4) Lee SK. Re-examining our approach to the approval and use of new drugs. *CMAJ* 2006; 174:13.
- 5) Walsh WC, Yao Q, Horbar JD, Carpenter JH, Lee SK, Ohlsson A for the NICHD Neonatal Network, Vermont Oxford Network and Canadian Neonatal Network. Changes in the use of postnatal steroids for bronchopulmonary dysplasia in three large neonatal networks. *Pediatrics* 2006;118:1328-1335
- 6) Luo, ZC, Wilkins R, Kramer M for the Fetal and Infant Health Study Group of the Canadian Perinatal Surveillance System. Effect of neighborhood income and maternal education on birth outcomes: a population-based study. *CMAJ* 2006;174:1415-1421
- 7) Joseph KS, Huang L, Liu SL, Ananth CV, Allen AC, Sauve R, Kramer MS, FIHSG of CPSS. Reconciling the high rates of preterm and postterm birth in the United States.

Abstracts

- 1) Schiariti V, Synnes A, Lee SK. Perinatal characteristics and developmental outcomes of neonatal intensive care unit graduates born at term. *Pediatr Res* 2006
- 2) Friedrich EC, Lee SK. The effect of early clinical intervention on neonatal admission illness severity. *J Investig Med* 2006; 54(1):S121
- 3) Magee LA, von Dadelszen P, Chan S, Gafni A, Gruslin A, Helewa M, Hewson S, Kavuma E, Lee SK, Logan AG, McKay D, Moutquin JM, Ohlsson A, Rey E, Ross S, Singer J, Willan AR, Hannah ME for the CHIPS Pilot Collaborative Group. *ISSHP 15th World Congress. Lisbon, PT July 2-6 2006*
- 4) Magee LA, von Dadelszen P, Chan S, Gafni A, Gruslin A, Helewa M, Hewson S, Kavuma E, Lee SK, Logan AG, McKay D, Moutquin JM, Ohlsson A, Rey E, Ross S, Singer J, Willan AR, Hannah ME for the CHIPS Pilot Collaborative Group. *SOGC 62nd Annual Meeting. Vancouver, BC June 23-27 2006*
- 5) Sherlock R, Klassen A, Hoube J, Lee SK. A population-based study of the relationship between neonatal morbidity and post-discharge quality of life and health utilization among NICU survivors in British Columbia. *Pediatr Res* 2006
- 6) Yeung JMS, McCartney N, Wingert SSA, Shaw NT, Lee SK, Ansermino M. The Canadian Neonatal Network (CNN): a national distributed database for improving neonatal outcome in Canada. *AMIA Spring Congress. Phoenix, AZ May16-18 2006*
- 7) Peng G, Hu Y, Magee LA, Skoll MA, Douglas MJ, Ganz P, von Dadelszen P, for the APC in PET trial group. The effect of recombinant human activated protein c on thromboelastogram indices in women with severe pre-eclampsia. *ISSHP 15th World Congress. Lisbon, PT July 2-6 2006*
- 8) Lee SK, Aziz K, Singhal N, Ohlsson A, Langley J, Baker R, Stevens B, MacNab YC, Canadian Neonatal Network EPIC Study Group. EPIC reduced nosocomial infection and bronchopulmonary dysplasia in a cluster randomized controlled trial of Canadian NICUs. *Pediatr Res* 2006

2007

Manuscripts

* presented

- 1) Joseph KS, Huang L, Liu SL, Ananth CV, Allen AC, Sauve R, Kramer MS, FIHSG of CPSS. Reconciling the high rates of preterm and postterm birth in the United States. *Obstetrics & Gynecology* 2007; 109:813-822
- 2) Stevens B, Lee SK, Law M, Yamada J, Canadian Neonatal Network EPIC Study Group. A qualitative examination of changing practice in Canadian neonatal intensive care units. *Journal of Evaluation in Clinical Practice* 2007;13:287-294
- 3) Zupancic JAF, Richardson DK, Horbar JD, Carpenter JH, Lee SK, Escobar GJ. Revalidation of the Score for Neonatal Acute Physiology in the Vermont Oxford Network. *Pediatrics* 2007; 119:156-163
- 4) Schiariti V, Houbé JS, Lisonkova S, Klassen AF, Lee SK. Caregiver-reported health outcomes of preschool children born at 28 to 32 weeks gestation. *Journal of Developmental and Behavioral Pediatrics* 2007;28:9-151
- 5) Magee L, von Dadelszen P, Chan S, Gafini A, Gruslin A, Helewa M, Hewson S, Kavuma E, Lee SK, Logan AG, McKay D, Moutquin JM, Ohlsson A, Rey A, Ross S, Singer J, Willan AR, Hannah ME, CHIPS Pilot Trial Collaborative Group. The Control of Hypertension in Pregnancy Study pilot trial. *BJOG* 2007;114:13-20
- 6) Beaudet L, Karuri S, Lau J, Magee F, Lee SK, von Dadelszen P. Placental pathology and clinical outcomes in a cohort of infants admitted to a neonatal intensive care unit. *J Obstet Gynaecol Can* 2007;29:315-323
- 7) Claydon JE, Mitton C, Sankaran K, Lee SK, Canadian Neonatal Network. Ethnic differences in risk factors for neonatal mortality and morbidity in the neonatal intensive care unit. *J Perinatology* 2007; 27:448-452
- 8) Reime B, Tu AW, Lee SK, Canadian Neonatal Network. Treatment differences between Aboriginal and White infants admitted to Canadian neonatal intensive care units. *Paediatric and Perinatal Epidemiology* 2007; 21:532-540

Abstracts

- 1) Lee SK, Aziz K, Dunn M, Kovacs L, Clarke M, Oja C, Canadian Neonatal Network. The Transport Risk Index of Physiologic Stability-Version II (TRIPS-II) is a quick, simple neonatal illness severity score that overcomes problems of SNAP-II. *Proceedings EPAS-2007*:61:5350.7

2008

Manuscripts

- 1) Xiang M, Lee SK, Tan K, Piedbouf B, Canning R, Canadian Neonatal Network. Comparison of singleton and multiple birth outcomes of infants born at or before 32 weeks gestation *Obstetrics & Gynecology* 2008;111:365-371
- 2) Baird R, MacNab YC, Skarsgard E, Canadian Pediatric Surgery Network. Mortality prediction in congenital diaphragmatic hernia. *J Pediatr Surg* 2008;43:783-787
- 3) Qiu X, Lee SK, Lim K, Piedbouf B, Canning R, and Canadian Neonatal Network. Comparison of singleton and multiple birth outcomes among infants born at 32 weeks gestation or less. *Obstetr & Gynecol* 2008;111(2Pt1):365-71
- 4) Skarsgard ED, Claydon J, Bouchard S, Kim PC, Lee SK, Laberge JM, McMillan D, von Dadelszen P, Yanchar N; Canadian Pediatric Surgical Network. *J Pediatr Surg*. 2008 Jan;43(1):30-4; discussion 34.
- 5) Weinsheimer R, Yanchar N, Bouchard SB, Kim PK, Laberge JM, Skarsgard ED, Lee SK, McMillan D, von Dadelszen P, Canadian Pediatric Surgery Network. Gastroschisis closure – does method really matter? *J Pediatr Surg* 2008;43:874-878
- 6) Weinsheimer R, Yanchar N, Canadian Pediatric Surgery Network. Impact of maternal substance abuse and smoking on children with gastroschisis *J Pediatr Surg* 2008;43:879-883

Abstracts

* presented

- 1) Qiu X, Lee SK. The Apgar score is a poor predictor of outcomes in extremely preterm infants. CPS 2008
- 2) Qiu X, SK Lee, K Tan, B Piedboeuf, R Canning. Comparison of singleton and multiple birth outcomes of infants born at or before 32 weeks of gestation. CPS 2008
- 3) Qiu X, Lee SK. The Apgar score is a poor predictor of outcomes in extremely preterm infants. PAS 2008 (abstract #: 752609)
- 4) Qiu X, Lee SK. Comparison of Singleton and Multiple Birth Outcomes of Infants Born at or Before 32 Weeks Gestation. PAS 2008 (Abstract #: 752594)
- 5) Soraisham A, Singhal N, Sauve R, McMillan DD, Lee SK. Clinical Chorioamnionitis Is Associated With Severe Intracranial Hemorrhage in Risk-Adjusted Population of Infants ≤ 32 Weeks Gestation Admitted to Canadian Neonatal Intensive Care Units (NICU). PAS 2008

2009

Manuscripts

- 1) Lee SK et al, Canadian Neonatal Network EPIC Study Group. Improving the quality of care for infants: a cluster randomized controlled trial. *CMAJ* 2009;181:469-476
- 2) Soraisham AS, Singhal N, McMillan DD, Sauve RS, Lee SK; Canadian Neonatal Network. A multicenter study on the clinical outcome of chorioamnionitis in preterm infants. *Am J Obstet Gynecol.* 2009 Apr; 200(4):372.e1-6.
- 4) Massey, K.A., Magee, L.A., Dale, S., Claydon, J., Morris, T.J., von Dadelszen, P., Liston, R.M., Ansermino, J.M., Canadian Perinatal Network Collaborative Group & British Columbia Perinatal Health Program. (2009). A current landscape of provincial perinatal data collection in Canada. *J Obstet Gynaecol Can.*, 31(3):236-46.
- 5) Simpson, D., James, A., Hawes, J. & Lee, K.S. Use of Bundled Interventions Including a Checklist to promote compliance with Aseptic technique to reduce catheter-related bloodstream infections in the Intensive Care Unit. *The Journal of Paediatrics & Child Health (in press)*
- 6) Yee, W., Scotland, J., Pham, Y., Finch, R. & EPIQ Evidence Review Team. Does primary continuous positive airway pressure (CPAP) reduce the need for intubation for assisted mechanical ventilation in premature infants? *The Journal of Paediatrics & Child Health (in press)*.
- 7) Lee SK, Aziz K, Singhal N, Cronin G, Canadian Neonatal Network. The EPIQ evidence reviews - practical tools for an integrated approach to knowledge translation. *Paediatr & Child Health (in press)*.

Abstracts

- 1) Shah, P.S., Dunn, M., Allen, A., Lee, S.K. & Singhal, N. Narcotic infusion is associated with adverse outcomes in preterm infants <28 weeks. Platform presentation at the Annual Meeting of the Canadian Pediatric Society, Ottawa, 2009.

2010

Manuscripts

- 1) Shah PS, Dunn MS, Lee SK, Allen AC, Singhal N AND The Canadian Neonatal Network. Early Opioid Infusion and Neonatal Outcomes in Preterm Neonates ≤ 28 Weeks' Gestation. *American*

* presented

Abstracts

- 1) Shah PS, Sankaran K, Aziz K, Allen A, Seshia M, Ohlsson A, Lee S, Canadian Neonatal Network. Comparison of outcomes among infants admitted to NICUs in Canada during 2006-2007 and 1996-1997. PAS Annual Meeting Vancouver May 2010 / CPS Annual Meeting Vancouver June 2010 *
- 2) Yee WH, Soraisham AS, Aziz K, Shah V, Lee SK, Canadian Neonatal Network Clinical Committee. The incidence and time of presentation of necrotizing enterocolitis in Neonatal Intensive Care Units across Canada. PAS Annual Meeting Vancouver May 2010 / CPS Annual Meeting Vancouver June 2010 *
- 3) Yao S, Whyte H, Cronin CG, Dow K, Lee SK, Canadian Neonatal Network. Variations in Transport Outcomes of Very Low Birth Weight Infants among Canadian NICUs. PAS Annual Meeting Vancouver May 2010 *
- 4) Aziz K, Singhal N, Cronin CG, Lee SK, Canadian Neonatal Network EPIQ-PHSI Study Group. The Evidence-Based Practice for Improving Quality (EPIQ) Trial: Reduction in Nosocomial Infection and Bronchopulmonary Dysplasia Incidence Were Sustained 2 Years after the Trial. PAS Annual Meeting Vancouver May 2010 *
- 5) Shivananda S, Mohamed T, Shah P, Canadian Neonatal Network. Early CPAP use trends and its association with reduction in nosocomial infection. PAS Annual Meeting Vancouver May 2010 *
- 6) Shivananda S, Mohamed T, Lee S, Shah P, Canadian Neonatal Network. Early CPAP use and its impact on VLBW outcomes. PAS Annual Meeting Vancouver May 2010
- 7) Qiu X, Jefferies A, Chui A, Macartney J, Osioviich H, Simmons B, Lee S. Trainees' perspectives on an international training program in neonatal-perinatal medicine in Shanghai. PAS Annual Meeting Vancouver May 2010
- 8) Sankaran K, Seshia M, Ohlsson A, Matthew D, Lee S, Canadian Neonatal Network EPIQ Study Group. Longer duration of intubation is associated with higher incidence of BPD. PAS Annual Meeting Vancouver May 2010
- 9) Lodha A, Yee W, Sankaran K, Seshia M, Shah PS, Lee SK. Increased Risk of Bronchopulmonary Dysplasia in Preterm Small for Gestational Age Infants Born at ≤ 32 Weeks Gestation in Canada: A Multicentre Study. PAS Annual Meeting Vancouver May 2010 / CPS Annual Meeting Vancouver June 2010 *
- 10) Shah PS, Dunn M, Lee SK, Allen AC, Singhal N, Canadian Neonatal Network. Narcotic Infusion during First 3 Days Is Associated with Adverse Neonatal Outcomes among Preterm Neonates 28 Weeks GA. PAS Annual Meeting Vancouver May 2010
- 11) Cronin CG, Baker R, Ohlsson A, Lee S, McMillan D, Seshia M. Organizational factors underlying breakthrough outcome improvement in Canadian NICUs using the evidence-based practice for improving quality (EPIQ) method: Lessons for leaders. PAS Annual Meeting Vancouver May 2010
- 12) Qiu X, Lee SK, Canadian Neonatal Network. The Effect of Small for Gestational Age on Outcomes of Very Preterm NICU Infants in Canada. PAS Annual Meeting Vancouver May 2010
- 13) Lee SK, Canadian Neonatal Network. Cost of NICU Care in British Columbia, Canada. PAS Annual Meeting Vancouver May 2010
- 14) Lodha A, Zhu Q, Lee SK, Shah PS. Neonatal Outcomes of Preterm Infants in Breech Presentation According to Mode of Delivery. PAS Annual Meeting Vancouver May 2010

2011

Manuscripts

* presented

- 1) Lodha A, Zhu Q, Lee SK, Shah PS. Neonatal outcomes of preterm infants in breech presentation according to mode of birth in Canadian NICUs. *Postgrad Med J.* 2011; 87(1025): 175-9
- 2) Binet ME, Bujold E, Lefebvre F, Tremblay Y, Piedboeuf B, Canadian Neonatal Network. Role of gender in morbidity and mortality of extremely premature neonates. *American Journal of Perinatology.* 2011 Aug 4 [epub ahead of print]
- 3) Sgro M, Shah PS, Campbell D, Tenuta A, Shivananda S, Lee SK. Early Onset Neonatal Sepsis and Meningitis in Canadian Neonatal Intensive Care Units. *J Perinatol.* 2011 Dec;31(12):794-8.
- 4) Shah PS, Sankaran K, Aziz K, Allen AC, Seshia M, Ohlsson A, Lee SK and the Canadian Neonatal Network. Changes in the outcomes of preterm infants of < 29 weeks gestational age born during 1996 to 1997 and 2006 to 2007 in Canada – a cause for concern? *Journal of Perinatology.* 2011 May 19 [epub head of print]
- 5) Bassil K, Shah PS, Barrington KJ, da Silva O, Harrison A, Lee SK and the Canadian Neonatal Network. Changing epidemiology and outcomes of preterm twins and triplets in Canada – 2003-2008. *Am J Perinatol* 2011 Aug 1. [Epub ahead of print].
- 6) Shah PS, Ye XY, Synnes A, Rouvinez-Bouali N, Yee W, Lee SK and the Canadian Neonatal Network. Prediction of survival without morbidity for infants born at <33 weeks gestational age: a user friendly graphical tool. E publication in *Arch Dis Child Fetal Neonat Ed* 2011, Sept 8.
- 7) Kanungo J, James A, Lodha A, McMillan D, Faucher D, Lee SK, Shah PS and the Canadian Neonatal Network. Advanced maternal age and the outcomes of preterm infants: a social paradox? *Obstet Gynecol* 2011 Oct;118(4):872-877.
- 8) Qiu X, Lodha A, Shah PS, Sankaran K, Seshia M, Jefferies A, Yee W, Lee SK and the Canadian Neonatal Network. Neonatal outcomes of small for gestational age preterm infants in Canada. *Am J Perinatol* 2011 Nov 30. [Epub ahead of print].
- 9) Shah PS, Dunn MS, Lee SK, Allen AC, Singhal N and the Canadian Neonatal Network. Early opioid infusion and neonatal outcomes in preterm neonates ≤ 28 weeks' gestation. *Am J Perinatol* 2011;28:361-6.
- 10) Cronin CM, Baker GR, Lee SK, Ohlsson A, McMillan DD, Seshia MM; Canadian Neonatal Network EPIQ Study Group. Reflections on knowledge translation in Canadian NICUs using the EPIQ method. *Healthc Q* 2011 Oct; 14 Spec No3:8-16.

Abstracts

- 1) Shah PS, Yoon W, Bassil K, Dunn M, Lee SK, Canadian Neonatal Network. Temporal Trends in Health Care Associated Infection in NICUs. PAS/ASPR 2011, Denver, CO
- 2) Shah PS, Ye XY, Synnes A, Rouvinez-Bouali N, Yee W, Lee SK, Canadian Neonatal Network. Prediction of intact survival for infants <33 weeks GA based on BW and GA: a user-friendly graphical tool. PAS/ASPR 2011, Denver, CO
- 3) Mahl S, Lee SK, Baker R, Cronin CMG, Stevens B, Ye XY, Canadian Neonatal Network. Assessing the Impact of Organizational Culture and Total Quality Management Factors on Outcomes in Canadian NICUs. PAS/ASPR 2011, Denver, CO
- 4) Mahl S, Lee SK, Baker R, Cronin CMG, Stevens B, Ye XY, Canadian Neonatal Network. Differences in the Perception of Organizational Culture & Total Quality Management Factors among Healthcare Professionals. PAS/ASPR 2011, Denver, CO
- 5) Qiu X, Jefferies A, Chen A, Lodha A, Shah P, Lee SK, Canadian Neonatal Network. Effect of Maternal Age on Outcomes of Very Preterm Infants among Women with Chorioamnionitis. PAS/ASPR 2011, Denver, CO
- 6) Wong J, Dow K, Shah P, Andrews W, Lee SK, Canadian Neonatal Network. Percutaneously placed central venous catheter related blood stream infections in Canadian NICUs: Impact on outcomes and variations. PAS/ASPR 2011, Denver, CO
- 7) Barbier A, Boivin A, Yoon W, Vallerand D, Platt R, Barrington K, Shah P, Nuyt AM, Canadian Neonatal Network. Updated Canadian newborn head circumference curves. PAS/ASPR 2011, Denver, CO
- 8) Stritzke A, Smyth J, Synnes A, Canadian Neonatal Network. Transfusion Associated Necrotizing Enterocolitis (TANEC) in Neonates: Single Site Study. PAS/ASPR 2011, Denver, CO

* presented

- 9) Stritzke A, Smyth J, Synnes A, Shah PS, Lee SK, Canadian Neonatal Network. Transfusion Associated Necrotizing Enterocolitis (TANEC) in Preterm Neonates. PAS/ASPR 2011, Denver, CO
- 10) Sgro M, Shah PS, Campbell D, Tenuta A, Shivananda S, Lee SK, Canadian Neonatal Network. Early Onset Neonatal Sepsis and Meningitis: Rate and organism pattern between 2003-2008. PAS/ASPR 2011, Denver, CO
- 11) Kanungo J, Shah PS, Lodha A, McMillan D, Faucher D, Lee SK, Canadian Neonatal Network. Advanced maternal age and the outcomes of preterm infants: a social paradox? PAS/ASPR 2011, Denver, CO
- 12) Zhao M, Shah PS, Lee SK, Canadian Neonatal Network. Contributing factors of poor outcome in outborn very low birth weight infants. PAS/ASPR 2011, Denver, CO
- 13) Ko G, Piedboeuf B, Riley P, Canning R, Shah PS, Lee SK. Very low birth weight babies born by caesarean section have lower mortality and morbidity than those born by vaginal delivery. PAS/ASPR 2011, Denver, CO
- 14) Ko G, Kovacs L, Ojah C, Shah PS, Lee SK. Effect of parental socioeconomic status on neonatal outcomes in the NICU. PAS/ASPR 2011, Denver, CO
- 15) Shah PS, Ye XY, Synnes A, Rouvinez-Bouali N, Yee W, Lee SK, Canadian Neonatal Network. Prediction of intact survival for infants <33 weeks GA based on BW and GA: a user-friendly graphical tool. CPS 2011, Quebec City, QC
- 16) Shah PS, Mirea L, Sankaran K, Seshia M, Ohlsson A, Allen A, Aziz K, Lee SK, Canadian Neonatal Network. PDA Treatment and Outcomes: Regression and Propensity Score based Analyses after Adjustment for Treatment Selection Bias. CPS 2011, Quebec City, QC
- 17) Wong J, Dow K, Shah P, Andrews W, Lee SK, Canadian Neonatal Network. Percutaneously placed central venous catheter related blood stream infections in Canadian NICUs: Impact on outcomes and variations. CPS 2011, Quebec City, QC
- 18) Stritzke A, Smyth J, Synnes A, Shah PS, Lee SK, Canadian Neonatal Network. Transfusion Associated Necrotizing Enterocolitis (TANEC) in Preterm Neonates. CPS 2011, Quebec City, QC
- 19) Sgro M, Shah PS, Campbell D, Tenuta A, Shivananda S, Lee SK, Canadian Neonatal Network. Early Onset Neonatal Sepsis and Meningitis: Rate and organism pattern between 2003-2008. CPS 2011, Quebec City, QC
- 20) Kanungo J, Shah PS, Lodha A, McMillan D, Faucher D, Lee SK, Canadian Neonatal Network. Advanced maternal age and the outcomes of preterm infants: a social paradox? CPS 2011, Quebec City, QC
- 21) Ko G, Kovacs L, Ojah C, Shah PS, Lee SK. Effect of parental socioeconomic status on neonatal outcomes in the NICU. CPS 2011, Quebec City, QC
- 22) Zhao M, Shah PS, Lee SK, Canadian Neonatal Network. Contributing factors of poor outcome in outborn very low birth weight infants. CPS 2011, Quebec City, QC

2012

Manuscripts

- 1) Yee WH, Soraisham AS, Shah V, Aziz K, Yoon W, Lee SK and the Canadian Neonatal Network. Incidence and timing of presentation of necrotizing enterocolitis in preterm infants. *Pediatrics* 2012; 129:e298-e304.
- 2) Wong J, Dow K, Shah P, Andrews W, Lee SK, Canadian Neonatal Network. Percutaneously placed central venous catheter-related sepsis in Canadian neonatal intensive care units [accepted by American Journal of Perinatology].
- 3) Stritzke A, Smyth J, Synnes AR, Lee SK, Shah P and the Canadian Neonatal Network. Transfusion-Associated Necrotizing Enterocolitis in Neonates. *Arch Dis Child Fetal Neonatal Ed* 2012 [Epub ahead of print].

* presented

- 4) Mirea L, Sankaran K, Seshia M, Ohlsson A, Allen AC, Aziz K, Lee SK, Shah PS; the Canadian Neonatal Network. Treatment of Patent Ductus Arteriosus and Neonatal Mortality/Morbidities: Adjustment for Treatment Selection Bias. *J Pediatrics* 2012; 161(4):689-94.
- 5) Isayama T, Lee SK, Mori R, Kusuda S, Fujimura M, Ye XY, Shah PS and the Canadian Neonatal Network and the Neonatal Research Network of Japan. Comparison of Mortality and Morbidity of Very Low Birth Weight Infants between Canada and Japan. *Paediatrics* 2012; 130(4):e957-65.
- 6) Ko G, Shah PS, Kovacs L, Ojah C, Riley P, Lee SK and the Canadian Neonatal Network. Neighbourhood income level and outcomes of extremely preterm neonates: protection conferred by a universal health care system. *Can J Public Health* 2012; 103(6):e443-7.

Abstracts

- 1) Jonathan Wong, Prakesh S Shah, Woojin Yoon, Wendy Yee, Shoo K Lee and Kimberly Dow. Inotrope use among extremely preterm infants in Canadian NICUs: Variations and outcomes. PAS 2012, Boston, MA.
- 2) Gary Ko, Prakesh Shah, Shoo Lee and Elizabeth Asztalos. Impact of Maternal Education on Cognitive and Language Scores at 18-24 months among extreme preterm neonates. PAS 2012, Boston, MA.
- 3) Tetsuya Isayama, Shoo K Lee, Xiang Y Ye, Rintaro Mori, Satoshi Kusuda, Masanori Fujimura and Prakesh S Shah. Comparison of neonatal outcomes of VLBW neonates between Canada and Japan. PAS 2012, Boston, MA.
- 4) Prakesh S Shah, Mary MK Seshia, Patricia Riley, Kyong-Soon Lee, Daniel Faucher and Shoo K Lee. Duration of UA catheters and neonatal outcomes of extremely preterm neonates. PAS 2012, Boston, MA.
- 5) Prakesh S Shah, Nicole G Rouvinez Bouali, Anne Synnes, Sandesh Shivananda, Barbara Bulleid and Shoo K Lee. Duration of UV Catheters and Neonatal Outcomes of Extremely Preterm Neonates. PAS 2012, Boston, MA.
- 6) Amuchou S Soraisham, Nalini Singhal, Abhay Lodha, Yacob Rabi, Khalid Aziz, Shoo K Lee and Prakesh Shah. Does the concentration of oxygen (21%, 22-99% or 100%) used at the initiation of resuscitation have an impact on the survival without major neonatal morbidity among preterm infants (< 33 weeks)? PAS 2012, Boston, MA.
- 7) Amuchou S Soraisham, Nalini Singhal, Khalid Aziz, Abhay Lodha, Shoo K Lee and Prakesh Shah. Neonatal Outcomes following Extensive Delivery Room Resuscitation in Preterm Infants: A Multicenter Cohort Study. PAS 2012, Boston, MA.
- 8) Yacov Rabi, Prakesh Shah, Abhay Lodha, Amuchou Soraisham, Keith Barrington and Shoo Lee. Outcomes following the introduction of room air resuscitation for preterm infants. PAS 2012, Boston, MA.
- 9) Karen E Thomas, Prakesh Shah, Rody Canning, Adele Harrison, Shoo K Lee and Kimberly E Dow. Retinopathy of prematurity: Risk factors and variability between Canadian NICUs. PAS 2012, Boston, MA.
- 10) Meijian Zhao, Shoo K Lee, Lajos Kovacs, Cecil Ojah and Prakesh S Shah. Effect of Latency of Ruptured Membranes on Neonatal Outcomes. PAS 2012, Boston, MA.
- 11) Shoo K Lee, Nalini Singhal, Sarah A De La Rue, Xiang Y Ye, Abhay Lodha and Prakesh S Shah. Altitude Correlates with Chronic Lung Disease Among Preterm Infants Admitted to Neonatal Intensive Care Units. PAS 2012, Boston, MA.
- 12) Prakesh S Shah, Andrew James, Douglas McMillan, Abe Peliowski, Bruno Piedboeuf and Shoo K Lee. National Audit of Hypothermia for Neonatal Hypoxic Ischemic Encephalopathy: A Therapeutic Creep? PAS 2012, Boston, MA.
- 13) Prakesh S Shah, Nalini Singhal, Alexander C Allen, Arne Ohlsson, Orlando da Silva, Nicole G Rouvinez Bouali, Mary Seshia and Shoo K Lee. Neonatal Outcomes of Spontaneous Intestinal Perforation in Very Preterm Neonates. PAS 2012, Boston, MA.
- 14) Prakesh S Shah, Lucia Mirea, Junmin Yang, Andrew D Paterson, Kate Bassil and Shoo K Lee. Heritability of Neonatal Morbidities and Mortality in Very Preterm Twins Admitted to a NICU. PAS 2012, Boston, MA.
- 15) Jonathan Hellmann, Robin Knighton, Shoo K Lee and Prakesh S Shah. Deaths in Canadian NICUs: exploring the ethical determinants. PAS 2012, Boston, MA.

* presented

- 16) Ann L Jefferies, Prakesh S Shah, Vibhuti Shah, Kate L Bassil, Xiang Ye and Shoo K Lee. Impact of Late Preterm and Term Infants Admitted to Canadian NICUs. PAS 2012, Boston, MA.
- 17) Chaitya Parikh, Shoo Lee, Woojin Yoon, Ruben Alvaro, Michael Dunn, Vibhuti Shah. Does the timing of birth impact on neonatal outcomes in infants < 33 weeks gestation? PAS 2012, Boston, MA.
- 18) Khalid Aziz, Vibhuti Shah, Abhay Lodha, Wayne Andrews, Kimberly Dow and Woojin Yoon. Incidence and risk factors for cranial ultrasound abnormalities in Canadian NICUs. PAS 2012, Boston, MA.
- 19) Sadia Hossain, Prakesh Shah, Shoo K Lee, Brian Darlow, Elizabeth Sullivan and Kei Lui. Comparison of Characteristics and Outcomes of Very Preterm Infants Admitted to Australia-New Zealand and Canadian Neonatal Networks. PAS 2012, Boston, MA.
- 20) Prakesh Shah, Sadia Hossain, Kei Lui, Brian Darlow, Vicki Gallimore and Shoo K Lee. Outcomes of Outborn Very Preterm Infants in Australia – New Zealand and in Canada. PAS 2012, Boston, MA.

2013

Manuscripts

- 1) Shah PS, Yoon W, Kalapesi Z, Bassil K, Dunn M, Lee SK. Seasonal variations in healthcare-associated infection in neonates in Canada. Arch Dis Child Fetal Neonatal Ed 2013;98(1):F65-9.
- 2) Eliason SH, Whyte H, Dow K, Cronin CM, Lee S; Canadian Neonatal Network. Variations in Transport Outcomes of Outborn Infants among Canadian Neonatal Intensive Care Units. Am J Perinatol 2013; 30:377-382.
- 3) Lee SK, Aziz K, Dunn M, Clarke M, Kovacs L, Ojah C, Ye XY, Canadian Neonatal Network. Transport Risk Index of Physiologic Stability, version II (TRIPS-II): a simple and practical neonatal illness severity score. Am J Perinatol 2013; 30(5):395-400.
- 4) Mirea L, Yang J, Paterson AD, Shah V, Bassil KL, Lee SK, Shah PS. Relationship of Mode of Conception and Sex Concordance with Mortality/Morbidity in Preterm Twins. Twin Research and Human Genetics 2013; 16(5):985-93.
- 5) Ge WJ, Mirea L, Yang J, Bassil K, Lee SK, Shah PS, Canadian Neonatal Network. Prediction of Neonatal Outcomes in Extremely Preterm Neonates. Pediatrics 2013; 132(4):e876-85.
- 6) Wong C, Mak M, Shivananda S, Yang J, Shah PS, Seidlitz W, Pemberton J, Fitzgerald PG, and Cameron BH, on behalf of the Canadian Neonatal Network. Outcomes of neonatal patient ductus arteriosus ligation in Canadian neonatal units with and without pediatric cardiac surgery programs. Journal of Pediatric Surgery 2013; 48(5):909-14.
- 7) Barbier A, Boivin A, Yoon W, Vallerand D, Platt RW, Audibert F, Barrington KJ, Shah PS, Nuyt AM; Canadian Neonatal Network. New reference curves for head circumference at birth, by gestational age. Pediatrics 2013; 131(4):e1158-67.
- 8) Lee SK, Ye XY, Singhal N, De La Rue S, Lodha A, Shah PS; Canadian Neonatal Network. Higher altitude and risk of bronchopulmonary dysplasia among preterm infants. Journal of Perinatology 2013; 30(7):601-6.
- 9) Ko G, Shah PS, Lee SK, Asztalos E. Impact of maternal education on cognitive and language scores at 18 to 24 months among extremely preterm neonates. Am J Perinatol 2013; 30(9):723-30.
- 10) Janvier A and Shah PS. The premature lottery in the Canadian grey zones. Current Pediatric Reviews 2013;9:25-31.
- 11) Bassil KL, Collier S, Mirea L, Yang J, Seshia MM, Shah PS, Lee SK; the Canadian Neonatal Network. Association between Congenital Anomalies and Area-Level Deprivation among infants in Neonatal Intensive Care Units. Am J Perinatol 2013; 30(3):225-32.

Abstracts

- 1) Rolnitsky A, Lee SK, Piedbouf B, Harrison AM, Andrews W, Shah PS and the Canadian Neonatal Network. Prophylactic Interventions in Care of Preterm Infants: How do They Fare in Pragmatic Settings? E-PAS2013:2922.361.
- 2) Weisz DE, Shivananda S, Asztalos E, Yee W, Synnes A, Lee SK, Shah PS, Lee SK and the Canadian Neonatal Network. Antenatal Magnesium Sulphate and Need for Intensive Delivery Room Resuscitation. E-PAS2013:4501.56.
- 3) Aziz K, Singhal N, Shah V, Ye XY, Sorokan T, Lee SK and the Canadian Neonatal Network. Weight Change by 72 Hours of Age and Short-Term Outcomes of Babies Born <33 Weeks Gestational Age (GA). E-PAS2013:2922.280.
- 4) Lodha A, Toye J, Canning R, Kalapesi Z, Sorokan T, Aziz K and the Canadian Neonatal Network. Survival of Inborn Versus Outborn Preterm Infants Born <33 Weeks Gestational Age (GA) in Canada. E-PAS2013:2922.336.
- 5) Elkhateeb O, Sankaran K, Shah PS, Lee SK, Lee KS and the Canadian Neonatal Network. Outcomes of Infants <26 Weeks Gestation after Standard vs Extensive Delivery Room Resuscitation. E-PAS2013:3505.5.
- 6) Shah PS, Mirea L, Yang J, Ng E, Solimano A, Lee SK and the Canadian Neonatal Network. Impact of NICU Size and Admission Day Occupancy Rate on Neonatal Outcomes of Preterm Infants. E-PAS2013:3505.4.
- 7) Shah PS, Mirea L, Dow K, Kovacs L, Lee SK and the Canadian Neonatal Network. Impact of Individual-Level Sex or Pair-Wise Sex Concordance on Neonatal Outcomes of Very Preterm Twins. E-PAS2013:2924.498.
- 8) Kirtsman M, Yoon EW, Lee SK, Shah PS and the Canadian Neonatal Network. The Association of Nil-Per-Os Days and the Development of NEC in Infants Born between 23 and 28 Weeks of Gestation. E-PAS2013:2922.331.
- 9) Sgro MD, Campbell DM, Tenuta A, Sgro A, Bertelle V, Riley P, Shah PS and the Canadian Neonatal Network. Early Onset Neonatal Sepsis and Meningitis: Rate and Organism Pattern between 2003-2011. E-PAS2013:4506.151.
- 10) Hei M, Shah PS, Lee SK, Jain A and the Canadian Neonatal Network. Neonatal Outcomes of Asymmetrical and Symmetrical SGA Preterm Infants of <32 Weeks GA. E-PAS2013:2922.318.
- 11) Tighe MK, Shah PS, Lodha A, Lee SK, Moore AM and the Canadian Neonatal Network. Impact of Maternal Diabetes on Neonatal Outcomes of Infants Admitted to Canadian Neonatal Intensive Care Units. E-PAS2013:1523.322.
- 12) Loganathan P, Rouvinez Bouali, N, Barrowman N, Yoon EW, Lee SK, Shah PS and the Canadian Neonatal Network. Do Antenatal Steroids Decrease the Severity of Retinopathy of Prematurity? A Canadian Population-Based Study. E-PAS2013:3842.736.
- 13) Isayama T, Lee SK, Mirea L, Mori R, Kusuda S, Fujimura M, Shah PS and the Canadian Neonatal Network. PDA Management and Neonatal Mortality/morbidities in Japan and Canada: Comparison between Japanese Proactive Versus Canadian Reactive Management. E-PAS2013:2923.409.
- 14) Isayama T, Ye XY, Dunn M, DaSilva O, Alvaro R, Shah PS, Lee SK and the Canadian Neonatal Network. Adverse Impacts of Maternal Cigarette Smoking on Very Preterm Infants in Canada. E-PAS2013:4502.71.
- 15) Shah PS, Sjors G, Hakansson S, Ye XY, Lee SK and the Canadian Neonatal Network. Outcomes for VLBW Infants: A Comparison of National Data from Sweden and Canada. E-PAS2013:2924.497.
- 16) Lodha A, Seshia M, McMillan DD, Barrington K, Lee SK, Shah PS and the Canadian Neonatal Network. Early Caffeine Initiation and Neonatal Outcomes among Very Preterm Infants in Canada. E-PAS2013:2924.477.

2014

Manuscripts

* presented

- 1) Bassil KL, Shah PS, Shah V, Ye XY, Lee SK, Jefferies AL, Canadian Neonatal Network. Impact of late preterm and early term infants on Canadian neonatal intensive care units. *Am J Perinatol* 2014; 31(4):269-78.
- 2) Duong HH, Mirea L, Shah PS, Yang J, Lee SK, Sankaran K. Pneumothorax in Neonates: Trends, predictors and outcomes. *J Pediatr Neonatol Med* 2014; 7(1):29-38.
- 3) Shah PS, Lee SK, Lui K, Sjörs G, Mori R, Reichman B, Håkansson S, Feliciano LS, Modi N, Adams M, Darlow B, Fujimura M, Kusuda S, Haslam R, Mirea L; International Network for Evaluating Outcomes of Neonates (iNeo). The International Network for Evaluating Outcomes of very low birth weight, very preterm neonates (iNeo): a protocol for collaborative comparisons of international health services for quality improvement in neonatal care. *BMC Pediatr* 2014; 14:110.
- 4) Soraisham AS, Lodha AK, Singhal N, Aziz K, Yang J, Lee SK, Shah PS and the Canadian Neonatal Network. Neonatal outcomes following extensive cardiopulmonary resuscitation in the delivery room for infants born at less than 33 weeks gestational age. *Resuscitation* 2014; 85(2):238-43.
- 5) Lee SK, Shah PS, Singhal N, Aziz K, Synnes A, McMillan D, Seshia M for the Canadian EPIQ Study Group. Association of a quality improvement program with neonatal outcomes in extremely preterm infants: a prospective cohort study. *CMAJ* 2014; 186:E485-494.

Abstracts

- 1) Lee SK, Shah PS, Singhal N, Aziz K, Synnes A, McMillan D, Seshia M. Improvement in Neonatal Outcomes of Preterm <29 Weeks GA: Results from a National Prospective Quality Improvement Cohort Study (EPIQ2). *E-PAS* 2014:2380.2.
- 2) Shah J, Hunter T, Shah PS, Shivananda S, Synnes A, Murphy K. Neonatal Outcomes of Preterm Twins by Mode and Presentation at Birth. *E-PAS* 2014:4685.4.
- 3) Shah J, Jefferies A, Yoon EW, Shah PS. Incidence, risk factors, and outcome of gram negative sepsis in preterm neonates <32 weeks gestational age: national cohort study. *E-PAS* 2014:1540.644.
- 4) Shah PS, Mirea L, Weisz D, Barrington K, Lee KS, Sorokan T, Yee W, Lee SK. Trends in Patent Ductus Arteriosus Management and Association with Neonatal Mortality and Morbidities among Very Preterm Infants in Canada. *E-PAS* 2014:2850.8.
- 5) Lyu Y, Shah PS, Ye XY, Piedboeuf B, Deshpandey A, Dunn M, Lee SK. Impact of Admission Temperature on Mortality and Major Morbidities in very Preterm Infants. *E-PAS* 2014:4685.6.
- 6) Yusuf K, Nair V, Alshaikh B, Hasan SU, Lodha A, da Silva O, Alvaro RE, Lee SK, Shah PS. Neonatal Outcomes in Infants < 29 Weeks GA in relation to Maternal Hypertension and Smoking Status. *E-PAS* 2014:3846.774.
- 7) Lodha A, Soraisham Y, Rabi Y, Abou Mehrem A, Shah PS, Singhal N. Delayed cord clamping and neonatal outcomes among preterm infants born ≤ 28 weeks of gestational age. *E-PAS* 2014:1180.3.
- 8) Keir A, Harrison A, Lee SK, Shah PS. Use of blood products in preterm infants <30 weeks gestation in the Canadian Neonatal Network from 2004-2012. *E-PAS* 2014:2850.6.
- 9) Keir A, Aziz K, McMillan D, Ojah C, Monterrosa L, Lee SK, Shah PS. 'Late' RBC transfusions and outcomes of preterm infants <30 weeks gestational age: a nested cohort study. *E-PAS* 2014:3846.735.
- 10) Hossain S, Shah PS, Ye XY, Chow SSW, Darlow B, Lee SK, Lui Kei. Comparison of changes in neonatal outcomes of very preterm infants cared in Canadian and Australian-New Zealand neonatal network units between 2006 and 2011. *E-PAS* 2014:3846.755.
- 11) Koller-Smith L, Shah PS, Ye XY, Sjörs G, Chow SSW, Darlow B, Lee SK. Evaluating outcome reporting validity from national cohorts based on birth weight versus gestational age in high risk infants. *E-PAS* 2014:3846.763.
- 12) Derynck MR, Shah PS, Seshia M, Rouvinez-Bouali N, Yoon EW, Lee SK, Dow K. Inhaled and systemic corticosteroid administration to preterm infants across Canadian NICUs. *E-PAS* 2014:4106.146.

- 13) Bodani B, Ye XY, Bodani JP, Mirea L, Sankaran K. Morbidity outcomes of premature neonates born at < 30 weeks gestation in Canada over the last decade. E-PAS 2014:3846.713.
- 14) Jantzen C, Mirea L, Ye XY, Lee SK, Prosser-Loose E, Sankaran K and the Canadian Neonatal Network. Nosocomial Infection (NI) Trends in Canadian Neonatal Intensive Care Units: Association with Mortality and Morbidity. E-PAS 2014:3846.762.
- 15) Toye J, Mirea L, Yang J, Sankaran K. Trends in narcotics and sedative use during ventilation of preterm infants in Canadian NICUs during 2004-09. E-PAS 2014:2940.548.
- 16) Toye J, Mirea L, Yang J, Sankaran K. Narcotics and sedatives during ventilation in preterm infants: Associations with mortality/morbidities. E-PAS 2014:2940.549.
- 17) Aguinaga F, Lodha A, Hoyos A, Baez M, Akierman A, Fajardo C. Comparison of Morbidity and Mortality in Neonates Born \geq 33 Weeks Gestational Age and Requiring Resuscitation Between SIBEN and CNN Neonatal Networks. E-PAS 2014:2917.218.

2015

Manuscripts

- 1) Hei M, Shah PS, Lee SK, Jain A and the Canadian Neonatal Network. Outcomes for Symmetrical and Asymmetrical Small for Gestational Age Preterm Infants In Canadian Tertiary NICUs. American Journal of Perinatology 2015; 32(8):725-32.
- 2) Weisz DE, Shivananda S, Asztalos E, Yee W, Synnes A, Lee SK, Lee SK, Shah PS and the Canadian Neonatal Network. Intrapartum Magnesium Sulfate and Need for Intensive Delivery Room Resuscitation. Arch Dis Child Fetal Neonatal Ed 2015; 100(1):F59-65.
- 3) Chiarelli L, Mirea L, Yang J, Lee SK, Shah PS, and the Canadian Neonatal Network. Neonatal Outcomes in Very Preterm Singleton Infants Conceived Using Assisted Reproductive Technologies. Am J Perinatol 2015; 32(6):515-22.
- 4) Shah J, Jefferies A, Yoon EW, Shah PS, Lee SK. Risk Factors and Outcomes of Late-Onset Bacterial Sepsis in Preterm Neonates Born at <32 Weeks' Gestation. American Journal of Perinatology 2015; 32:675-682.
- 5) Kirtsman M, Yoon EW, Ojah C, Cieslak Z, Lee SK, Shah PS. Nil-Per-Os Days and Necrotizing Enterocolitis in Extremely Preterm Infants. Am J Perinatol 2015; 32:785-794.
- 6) Shah PS, Mirea L, Ng E, Solimano A, Lee SK. Association of Unit Size, Resource Utilization, and Occupancy with Outcomes of Preterm Infants. Journal of Perinatology 2015; 35:522-529.
- 7) Melamed N, Shah J, Soraisham A, Yoon E, Lee SK, Shah PS, Murphy K. Association Between Antenatal Corticosteroid Administration-to-Birth Interval and Outcomes of Preterm Neonates. Obstetrics & Gynecology 2015; 125(6):1377-1384.
- 8) Wong J, Shah PS, Yoon EW, Yee W, Lee S, Dow K. Inotrope Use among Extremely Preterm Infants in Canadian Neonatal Intensive Care Units: Variation and Outcomes. Am J Perinatol 2015; 32(1):9-14.
- 9) Lodha A, Seshia M, McMillan DD, Barrington K, Lee SK, Shah PS and the Canadian Neonatal Network. Association of Early Caffeine Administration and Neonatal Outcomes in Very Preterm Neonates. JAMA Pediatrics 2015; 169(1):33-8.
- 10) Keir A, Yang J, Harrison A, Pelausa E, Shah PS and the Canadian Neonatal Network. Temporal changes in blood product usage in preterm neonates born at <30 weeks' gestation in Canada. Transfusion 2015; 55(6):1340-6.
- 11) Keir A, Aziz K, McMillan D, Monterrosa L, Ojah C, Lee SK, Shah PS, Canadian Neonatal Network. Red Blood Cell Transfusions at 21 Days of Age or Older in Previously Transfusion-Naive Very Preterm Infants: Association with Neonatal Outcomes. Am J Perinatol 2015; 32(12):1139-44.
- 12) Hossain S, Shah PS, Ye XY, Darlow BA, Lee SK, Lui K, Canadian Neonatal Network, Australian and New Zealand Neonatal Network. Outcome comparison of very preterm infants cared for in the neonatal intensive care units in Australia and New Zealand and in Canada. Journal of Paediatrics and Child Health; 2015 [Epub ahead of print].

* presented

- 13) Shah J, Singhal N, da Silva O, Rouvinez-Bouali N, Seshia M, Lee SK, Shah PS. Intestinal perforation in very preterm neonates: risk factors and outcomes. *J Perinatol* 2015; 35(8):595-600.
- 14) Isayama T, Mirea L, Mori R, Kusuda S, Fujimura M, Lee SK, Shah PS, Neonatal Research Network of Japan and the Canadian Neonatal Network. Patent Ductus Arteriosus Management and Outcomes in Japan and Canada: Comparison of Proactive and Selective Approaches. *Am J Perinatol* 2015; 32(11):1087-94.
- 15) Isayama T, Shah PS, Ye XY, Dunn M, Da Silva O, Alvaro R, Lee SK. Adverse Impact of Maternal Cigarette Smoking on Preterm Infants: A Population-Based Cohort Study. *Am J Perinatol* 2015; 32(12):1105-11.
- 16) Thomas KE, Shah PS, Canning R, Harrison A, Lee SK, Dow KE. Retinopathy of prematurity: Risk factors and variability between Canadian NICUs. *Journal of Neonatal-Perinatal Medicine* 2015; 8(3):207-14.
- 17) Rolnitsky A, Lee SK, Piedbouf, Harrison A, Shah PS, Canadian Neonatal Network. Prophylactic Interventions in Neonatology: How Do They Fare in Real Life? *Am J Perinatol* 2015; 32(12):1098-104.
- 18) Hellmann J, Knighton R, Lee SK, Shah PS, Canadian Neonatal Network End of Life Study Group. Neonatal deaths: prospective exploration of the causes and process of end-of-life decisions. *Arch Dis Child Fetal Neonatal Ed* 2015; 0:F1-F6.
- 19) Rabi Y, Shah PS, Lodha A, Soraisham A, Barrington K, Lee SK. Outcomes of preterm infants following the introduction of room air resuscitation. *Resuscitation* 2015; 96:252-9.
- 20) Ahmed M, Mohamed A, Yoon E, Aziz K, Lee SK, Shah PS. Risk of Infection Using Peripherally Inserted Central and Umbilical Catheters in Preterm Neonates. *Pediatrics* 2015; 136(6):1073-9.

Abstracts

- 1) Ahmed Shalabi M, Mohamed A, Yoon E, Aziz K, Lee SK, Shah PS, Aziz K. Peripherally inserted central catheter (PICC) versus umbilical venous catheter as primary access in very preterm neonates. *E-PAS* 2015:1575.554.
- 2) Borenstein-Levi L, Miller SP, Grunau RE, Synnes A, Shah PS, Yoon E. Narcotics and Sedatives in the NICU. *E-PAS* 2015:1569.510.
- 3) El-Naggar W, Afifi J, McMillan D, Toye J, Kajetanowicz A, Yoon E, Shah PS. Epidemiology of meningitis in Canadian Neonatal Intensive Care Units. *E-PAS* 2015: xxxx.xx.
- 4) Esmaeilizand R, Shah V, Ye XY, Dow K. Utilization of Central Lines in Canadian Neonatal Intensive Care Units.
- 5) Esmaeilizand, Shah Ps, Seshia M, Yee W, Yoon EW, Dow K. Antibiotic Exposure and Development of Necrotizing Enterocolitis in Very Preterm Neonates in Canada.
- 6) Harabor A, Soraisham AS, Shivananda S, Shah PS, Alvaro R, Lee SK. Trends and variations in inhaled nitric oxide use in preterm infants in Canadian Neonatal Intensive Care Units: A retrospective cohort study. *E-PAS* 2015:1587.639.
- 7) Soraisham AS, Harabor A, Lodha A, Shah PS, Barrington K, Lee SK. Neonatal Outcomes Following Use Of Inhaled Nitric Oxide In Preterm Infants In Canada: A Cohort Study.
- 8) Jiang S, Lyu Y, Ye XY, Monterrosa L, Shah PS, Lee SK. Intensity of delivery room resuscitation and neonatal outcomes for infants of 33-36 weeks gestation. *E-PAS* 2015:1593.691.
- 9) Jiang S, Shah PS, Lee KS, Ye XY, Rouvinez-Bouali N, Cieslak Z, Lee SK. Regional variations in outcomes and practices for outborn infants born at <33 weeks gestational age in Canada.
- 10) Shah J, Melamed N, Murphy K, Lee SK, Yoon EW, Soraisham A, Shah PS. Antenatal Corticosteroids and Outcomes of Preterm Neonates <34 weeks GA: Effect of timing of administration.
- 11) Lodha A, Rabi Y, Soraisham AS, Shah PS, Yang J, Singhal N. Delayed Cord Clamping (DCC) And Need Of Neonatal Resuscitation Among Preterm Infants Born ≤28 Weeks Of Gestational Age.
- 12) Lyu Y, Jiang S, DaSilva O, Shah PS, Lee SK. Association of Intensity of Delivery Room Resuscitation with Neonatal Outcomes in Infants Born at <33 Weeks' Gestation. *E-PAS* 2015:1593.690.
- 13) Lyu Y, Xiang XY, Isayama T, Alvaro R, Nwaesei C, Shah PS, Lee SK. Systolic Blood Pressure at Admission and Neonatal Outcomes in Preterm Infants of ≤26 Weeks Gestational Age.

* presented

- 14) Olivier F, Bertelle V, Shah PS, Drolet C, Piedboeuf B. Impact of birth route on late onset sepsis (LOS) incidence in preterm neonates <33 weeks GA.
- 15) Purna J, Ojah C, Deshpandey A, Harrison A, Pelousa E, Shah PS. Seasonal Variation in Necrotizing Enterocolitis in preterm neonates <30 weeks gestation.
- 16) Woodward M, Williams C, Lodha A, Shah PS, Shivananda S. Mortality, morbidity and resource use among infants with Trisomy 21(TR21) admitted to Level III (L3) NICUs. E-PAS 2015:310.
- 17) Ting J, Roberts A, Synnes A, Canning R, Kalapesi Z, Sankaran K, Shah PS. Fungaemia in Infants admitted into Neonatal Intensive Care Units in Canada: 2003-2013.
- 18) Shah V, Mukerji A, Young J, Yee W, Seshia M, Dow K, Yoon EW. Utilization of surfactant in the era of non-invasive ventilation (NIV) in Canadian NICUs. E-PAS 2015:1599.736.
- 19) Elborae MS, Kumaran K, Toye JM, Ye XY, Shah PS, Aziz K. Umbilical Lines Are an Independent Risk Factor for Adverse Outcomes in Very Preterm Babies. E-PAS 2015:1570.514.
- 20) Shah V, Seshia M, Dunn M, Schmolzer G. Golden Hour Management Practices for Infants <32 Wks Gestational Age in Canada. E-PAS 2015:1593.688.
- 21) Asztalos E, Church P, Faucher D, Riley P, Fajardo C, Shah PS. Neonatal Factors Associated With a Positive Neurodevelopmental Outcome in the Very Preterm Infant. E-PAS 2015:2185.2.
- 22) Isayama T, Mirea L, Reichman B, Sjors G, Modi N, Adams M, San Feliciano L, Kusuda S, Hakansson S, Lee SK, Shah PS. Variations in Patent Ductus Arteriosus Treatment of Very Preterm Neonates from 7 Countries: The International Network for Evaluating Outcomes (iNeo) Experience. E-PAS 2015:2888.316.
- 23) Darlow B, Lui K, Sjors G, Hakansson S, Modi N, Reichman B, Adams M, San Feliciano L, Santhakumaran S, Mirea L, Yang J, Lodha A, Shah PS. Variation in the Rate of Very Preterm Neonate Treated for Retinopathy of Prematurity (ROP) in 8 National Neonatal Databases: The International Network for Evaluation of Outcomes of (iNeo) Experience. E-PAS 2015:2926.590.
- 24) Lui K, Modi N, Sjors G, Reichman B, Darlow B, San Feliciano L, Mori R, Kusuda S, Adams M, Lee SK, Shah PS. Variability in Rates of Major Intraventricular Hemorrhage (IVH) and Its Impact on Mortality in Very Preterm Between 8 National Neonatal Databases: The International Network for Evaluation of Outcomes (iNeo) Experience. E-PAS 2015:2926.592.
- 25) Martin L, Mirea L, Modi N, Lui K, Adams M, Reichman B, Mori R, San Feliciano L, Sjors G, Hakansson S, Shah PS. Birth Weight for Gestational Age: Impact of Using Different Growth References on the Comparison of Neonatal Outcomes Between Countries Participating in the International Network for Evaluation of Outcomes (iNeo). E-PAS 2015:2926.593.
- 26) Shafey A, Bashir RA, Shah PS, Synne A, Kelly E. Neurodevelopmental Outcomes of Infants Born at the Limit of Viability. E-PAS 2015:2896.384.

2016

Manuscripts

- 1) Hossain S, Shah PS, Ye XY, Darlow BA, Lee SK, Lui K, Canadian Neonatal Network and Australian and New Zealand Neonatal Network. Outborns or inborns: Where are the differences? A Comparison Study of Very Preterm Neonatal Intensive Care Unit Infants Cared for in Australia and New Zealand and in Canada. *Neonatology* 2016; 109(1):76-84.
- 2) Soraisham AS, Harabor A, Shivananda S, Alvaro R, Ye XY, Lee SK, Shah PS. Trends and variations in the use of inhaled nitric oxide in preterm infants in Canadian Neonatal Intensive Care Units. *American Journal of Perinatology* 2016 [Accepted].
- 3) Jiang S, Lyu Y, Ye XY, Monterrosa L, Shah PS, Lee SK. Intensity of delivery room resuscitation and neonatal outcomes for infants of 33-36 weeks gestation. *Journal of Perinatology* 2016 [Accepted].
- 4) Morin J, Luu TM, Superstein R, Ospina L, Lefebvre F, Simard M, Shah V, Shah PS, Kelly E. Neurodevelopmental Outcomes following Bevacizumab Injections for Retinopathy of Prematurity. *Pediatrics* 2016 [Accepted].

Abstracts

* presented

- 1) Afifi J, Vincer M, Shah V, Ye XY, Shah PS, Barrington K, Piedboeuf B, Kelly KE, El-Naggar W. Can We Predict Posthemorrhagic Ventricular Dilatation in Preterm Infants With Severe Intraventricular Hemorrhage? E-PAS 2016:4124.184.
- 2) Fischer NA, Soraisham AS, Ting JY, Rabi Y, Synnes A, Creighton D, Shah PS, Singhal N, Dewey DM, Metcalfe A, Cooper SL, Ballantyne M, Lodha A. Neurodevelopmental Outcomes Following Extensive Cardiopulmonary Resuscitation in the Delivery Room for Infants Born <29 Weeks Gestational Age. E-PAS 2016:2884.636.
- 3) Haslam MD, Lisonkova S, Creighton D, Church P, Synnes A. The Effect of Neurodevelopmental Disability Definition on Incidence Rates Among Very Preterm Infants. E-PAS 2016:2889.699.
- 4) Isayama T, Lee SK, Yang J, Lee D, Daspal S, Dunn M, Shah PS. Correlation of Oxygen And/Or Respiratory Support at Various Postmenstrual Age (PMA) and Respiratory/Neurodevelopmental Outcome at 18-24 Months. E-PAS 2016:1528.658.
- 5) Iwami H, Isayama T, Lodha A, Synnes A, Abou Mehrem A, Lee SK, Shah PS. The Neurodevelopment Outcomes Following Neonatal Seizures in Very Preterm Infants: A Population-Based Cohort Study. E-PAS 2016:3822.212.
- 6) Leibel S, Ye XY, Shah PS, Shah VS. Chronic Lung Disease (CLD) in Preterm Infants <29 Weeks Receiving Continuous Positive Airway Pressure (CPAP) Vs. Heated Humidified High Flow Nasal Cannula (HHHFNC) at 30 Weeks Postmenstrual Age. E-PAS 2016:1529.664.
- 7) Mukerji A, Shah PS, Shivananda S, Yee W, Read B, Minski J, Alvaro R, Fusch C. Survey of Non-Invasive Ventilation Practices in Canadian Neonatal Intensive Care Units. E-PAS 2016:1533.709.
- 8) Shah J, Melamed N, Murphy KE, Yoon E, Pelausa E, Lee SK, Shah PS. The Role of Timely Antenatal Corticosteroids in Preterm Twin Pregnancies. E-PAS 2016:4109.93.
- 9) Shah J, Dan EM, Murphy K, Yang J, Lee SK, Shah PS. Birth Order of Very Pre-Term Twins: Neonatal Mortality and Morbidity. E-PAS 2016:3455.4.
- 10) Shah V, Shah PS, Mukerji A, Afifi J, El-Naggar W, Vincer M, Kelly E. Neurodevelopmental Outcomes in Preterm Infants with Intraventricular Hemorrhage in Canada. E-PAS 2016:4124.182.
- 11) Soraisham AS, Rabi Y, Singhal N, Synnes A, Yang J, Shah PS, Lee SK, Lodha A. Is Initiating Resuscitation With 21% Oxygen, Intermediate Oxygen Concentration and 100% Oxygen Associated With Neurodevelopmental Outcomes at 18-21 Months Corrected Age in Very Preterm Infants? E-PAS 2016:2170.1.
- 12) Soraisham AS, Rabi Y, Lodha A, Yang J, Shah PS, Lee SK, Singhal N. Effect of Initial Resuscitation Gas on Neonatal Outcomes in Preterm Infants. E-PAS 2016:2175.6.
- 13) Stavel M, Wong J, Cieslak Z, Sherlock R, Claveau M, Shah PS. Combination of Prophylactic Indomethacin With Early Feeding and Spontaneous Intestinal Perforation in ELBW Infants. E-PAS 2016:1210.3.
- 14) Stritzke AI, Mohammad K, Ye XY, Akierman A, Shah PS, Harrison A, Bertelle V, Lodha A. Early Use of Surfactant and Risk of Severe Neurological Injury in Extremely Premature Infants. E-PAS 2016:3863.577.
- 15) Ting JY, Synnes A, Roberts A, Paquette V, Deshpandey A, Dow K, Dobson S, Lee KS, Shah PS. Antibiotic Utilization Pattern in Very-Low-Birth-Weight (VLBW) Infants in Canadian Neonatal Intensive Care Units. E-PAS 2016:4100.8.